

# Overview of hazardous substances / Content list



41990 Set: Earth Pigment Assortment, 100 g each

Date: 14.01.2023

#	Product	ColorIndex
40010	<b>French Ochre JTCLES</b> , clear yellow earth pigment, washed <i>Suitability: Tempera, Watercolor / Gouache, Ceramic, Cement / Tadelakt, Oil, Silicate binder, Waterglass, Acrylics, Lime / Fresco</i> Safety Data Sheet 40010_SDS.pdf	PY 43.77492
40012	<b>French Ochre, very light</b> , yellow <i>Suitability: Tempera, Watercolor / Gouache, Ceramic, Cement / Tadelakt, Oil, Silicate binder, Waterglass, Acrylics, Lime / Fresco</i> Safety Data Sheet 40012_SDS.pdf	PY 43.77492
40020	<b>French Ochre RTFLES</b> , red earth pigment, washed <i>Suitability: Tempera, Watercolor / Gouache, Ceramic, Cement / Tadelakt, Oil, Silicate binder, Waterglass, Acrylics, Lime / Fresco</i> Safety Data Sheet 40020_SDS.pdf	PR 102.77491
40030	<b>French Ochre JOLES</b> , yellow earth pigment, washed <i>Suitability: Tempera, Watercolor / Gouache, Ceramic, Cement / Tadelakt, Oil, Silicate binder, Waterglass, Acrylics, Lime / Fresco</i> Safety Data Sheet 40030_SDS.pdf	PY 43.77492
40040	<b>French Ochre JCLES</b> , yellow earth pigment, washed <i>Suitability: Tempera, Watercolor / Gouache, Ceramic, Cement / Tadelakt, Oil, Silicate binder, Waterglass, Acrylics, Lime / Fresco</i> Safety Data Sheet 40040_SDS.pdf	PY 43.77492
40050	<b>French Ochre JFLES</b> , yellow earth pigment, washed <i>Suitability: Tempera, Watercolor / Gouache, Ceramic, Cement / Tadelakt, Oil, Silicate binder, Waterglass, Acrylics, Lime / Fresco</i> Safety Data Sheet 40050_SDS.pdf	PY 43.77492
40060	<b>French Ochre JALS</b> , warm yellow earth pigment, washed <i>Suitability: Tempera, Watercolor / Gouache, Ceramic, Cement / Tadelakt, Oil, Silicate binder, Waterglass, Acrylics, Lime / Fresco</i> Safety Data Sheet 40060_SDS.pdf	PY 43.77492, PR 102.77491
40070	<b>French Ochre SOFODOR</b> , golden earth pigment <i>Suitability: Tempera, Watercolor / Gouache, Ceramic, Cement / Tadelakt, Oil, Silicate binder, Waterglass, Acrylics, Lime / Fresco</i> Safety Data Sheet 40070_SDS.pdf	PY 43.77492
40080	<b>French Ochre HAVANE</b> , orange earth pigment <i>Suitability: Tempera, Watercolor / Gouache, Ceramic, Cement / Tadelakt, Oil, Silicate binder, Waterglass, Acrylics, Lime / Fresco</i> Safety Data Sheet 40080_SDS.pdf	PY 43.77492, PR 102.77491
40090	<b>French Ochre SOFOROUGE</b> , red earth pigment <i>Suitability: Tempera, Watercolor / Gouache, Ceramic, Cement / Tadelakt, Oil, Silicate binder, Waterglass, Acrylics, Lime / Fresco</i> Safety Data Sheet 40090_SDS.pdf	PR 102.77491
40130	<b>French Ochre SAHARA</b> , French yellow ochre <i>Suitability: Tempera, Watercolor / Gouache, Ceramic, Cement / Tadelakt, Oil, Silicate binder, Waterglass, Acrylics, Lime / Fresco</i> Safety Data Sheet 40130_SDS.pdf	PY 43.77492
40195	<b>Gold Ochre coarse, from Poland</b> , Carpathia <i>Suitability: Tempera, Watercolor / Gouache, Oil, Silicate binder, Waterglass, Acrylics, Lime / Fresco</i> Material Safety Data Sheet 40195_MSDS.pdf	PY 43.77492

# Overview of hazardous substances / Content list



41990 Set: Earth Pigment Assortment, 100 g each

Date: 14.01.2023

#	Product	ColorIndex
40200	<b>Ochre Avana, greenish-yellow</b> , Italian <i>Suitability: Tempera, Watercolor / Gouache, Ceramic, Cement / Tadelakt, Oil, Acrylics, Lime / Fresco</i> Safety Data Sheet 40200_SDS.pdf	PY 43.77492
40214	<b>Gold Ochre DD</b> , very fine, clear golden yellow, German <i>Suitability: Tempera, Watercolor / Gouache, Ceramic, Cement / Tadelakt, Oil, Silicate binder, Waterglass, Acrylics, Lime / Fresco</i> Safety Data Sheet 40214_SDS.pdf	PY 42.77492
40215	<b>Yellow Ochre SA</b> , greenish <i>Suitability: Acrylics, Tempera, Watercolor / Gouache, Silicate binder, Waterglass, Oil, Lime / Fresco</i> Safety Data Sheet 40215_SDS.pdf	PY 43.77492
40220	<b>Italian Gold Ochre Light</b> , Sienna de Verona <i>Suitability: Tempera, Watercolor / Gouache, Ceramic, Cement / Tadelakt, Oil, Acrylics, Lime / Fresco</i> Safety Data Sheet 40220_SDS.pdf	PY 43.77492
40231	<b>Brown Ochre light</b> , German <i>Suitability: Tempera, Watercolor / Gouache, Ceramic, Cement / Tadelakt, Oil, Acrylics, Lime / Fresco</i> Safety Data Sheet 40231_SDS.pdf	PY 43.77492
40241	<b>Fawn Ochre</b> , very light umber, greenish, German <i>Suitability: Tempera, Watercolor / Gouache, Ceramic, Cement / Tadelakt, Oil, Silicate binder, Waterglass, Acrylics, Lime / Fresco</i> Safety Data Sheet 40241_SDS.pdf	PY 43.77492
40260	<b>Satin Ochre</b> , Monte Amiata, gold-orange, from Tuscany, Italy <i>Suitability: Tempera, Watercolor / Gouache, Ceramic, Cement / Tadelakt, Oil, Acrylics, Lime / Fresco</i> Safety Data Sheet 40260_SDS.pdf	PY 43.77492
40280	<b>Amberg Yellow</b> , deep, German <i>Suitability: Tempera, Watercolor / Gouache, Ceramic, Cement / Tadelakt, Oil, Silicate binder, Waterglass, Acrylics, Lime / Fresco</i>	PY 43.77492
40301	<b>Iron Oxide Yellow</b> , deep yellow <i>Suitability: Tempera, Watercolor / Gouache, Ceramic, Cement / Tadelakt, Oil, Acrylics, Lime / Fresco</i> Safety Data Sheet 40301_SDS.pdf	PY 43.77492
40310	<b>Dark Ochre, German</b> , yellow ochre <i>Suitability: Tempera, Watercolor / Gouache, Ceramic, Cement / Tadelakt, Oil, Acrylics, Lime / Fresco</i> Safety Data Sheet 40310_SDS.pdf	PY 43.77492
40320	<b>Dark Ochre, Italian</b> , light ochre <i>Suitability: Tempera, Watercolor / Gouache, Ceramic, Cement / Tadelakt, Oil, Acrylics, Lime / Fresco</i> Safety Data Sheet 40320_SDS.pdf	PY 43.77492
40392	<b>Raw Sienna, French</b> , natural yellow earth <i>Suitability: Tempera, Watercolor / Gouache, Ceramic, Cement / Tadelakt, Oil, Silicate binder, Waterglass, Acrylics, Lime / Fresco</i> Safety Data Sheet 40392_SDS.pdf	PY 43.77492
40400	<b>Raw Sienna, Italian</b> , natural yellow earth <i>Suitability: Tempera, Watercolor / Gouache, Ceramic, Cement / Tadelakt, Oil, Silicate binder, Waterglass, Acrylics, Lime / Fresco</i> Safety Data Sheet 40400_SDS.pdf	PY 43.77492
40404	<b>Raw Sienna Badia, Italian</b> , natural earth pigment <i>Suitability: Tempera, Watercolor / Gouache, Ceramic, Cement / Tadelakt, Oil, Silicate binder, Waterglass, Acrylics, Lime / Fresco</i> Safety Data Sheet 40404_SDS.pdf	PY 43.77492

# Overview of hazardous substances / Content list



41990 Set: Earth Pigment Assortment, 100 g each

Date: 14.01.2023


#	Product	ColorIndex
40410	<b>Raw Sienna brownish</b> , Italian, natural earth pigment <i>Suitability: Tempera, Watercolor / Gouache, Ceramic, Cement / Tadelakt, Oil, Acrylics, Lime / Fresco</i> Safety Data Sheet 40410_SDS.pdf	PY 43.77492
40420	<b>Burnt Sienna, HO</b> <i>Suitability: Tempera, Watercolor / Gouache, Acrylics, Lime / Fresco, Oil, Silicate binder, Waterglass</i> Safety Data Sheet 40420_SDS.pdf	PBr 7.77491
40430	<b>Dark Burnt Sienna</b> , Italian, No. 3 <i>Suitability: Tempera, Watercolor / Gouache, Ceramic, Cement / Tadelakt, Oil, Silicate binder, Waterglass, Acrylics, Lime / Fresco</i> Safety Data Sheet 40430_SDS.pdf	PR 101.77491
40440	<b>Pompeii Red</b> , burnt natural sienna, Tuscan earth <i>Suitability: Tempera, Watercolor / Gouache, Ceramic, Cement / Tadelakt, Oil, Silicate binder, Waterglass, Acrylics, Lime / Fresco</i> Safety Data Sheet 40440_SDS.pdf	PR 101.77491
40470	<b>Burnt Sienna, from France</b> , natural earth <i>Suitability: Tempera, Watercolor / Gouache, Ceramic, Cement / Tadelakt, Oil, Silicate binder, Waterglass, Acrylics, Lime / Fresco</i> Safety Data Sheet 40470_SDS.pdf	PR 101.77491
40490	<b>Rosso Sartorius</b> , natural red earth from Sardinia, Italy <i>Suitability: Tempera, Watercolor / Gouache, Ceramic, Cement / Tadelakt, Oil, Silicate binder, Waterglass, Acrylics, Lime / Fresco</i> Safety Data Sheet 40490_SDS.pdf	PR 102.77491
40503	<b>Red Bole</b> , natural red earth from Germany <i>Suitability: Tempera, Watercolor / Gouache, Acrylics</i> Material Safety Data Sheet 40503_MSDS.pdf	PR 102.77015
40510	<b>Venetian Red</b> , Italian red earth <i>Suitability: Tempera, Watercolor / Gouache, Ceramic, Cement / Tadelakt, Oil, Acrylics, Lime / Fresco</i> Safety Data Sheet 40510_SDS.pdf	PR 102.77491
40520	<b>Red Bole in pieces</b> <i>Suitability: --</i>	PR 102.77015
40542	<b>English Red Light</b> , mixed red earth, orange, burnt <i>Suitability: Tempera, Watercolor / Gouache, Ceramic, Cement / Tadelakt, Oil, Silicate binder, Waterglass, Acrylics, Lime / Fresco</i> Safety Data Sheet 40542_SDS.pdf	PR 102.77491
40545	<b>English Red Deep</b> , German, mixed red earth, burnt, cool red <i>Suitability: Tempera, Watercolor / Gouache, Ceramic, Cement / Tadelakt, Oil, Silicate binder, Waterglass, Acrylics, Lime / Fresco</i> Safety Data Sheet 40545_SDS.pdf	PR 101.77491
40610	<b>Raw Umber</b> , from Cyprus <i>Suitability: Tempera, Watercolor / Gouache, Ceramic, Cement / Tadelakt, Oil, Silicate binder, Waterglass, Acrylics, Lime / Fresco</i> Safety Data Sheet 40610_SDS.pdf	PBr 8.77727
40611	<b>Raw Umber, light</b> , from Cyprus <i>Suitability: Tempera, Watercolor / Gouache, Ceramic, Cement / Tadelakt, Oil, Acrylics, Lime / Fresco</i> Safety Data Sheet 40611_SDS.pdf	PBr 7

# Overview of hazardous substances / Content list



41990 Set: Earth Pigment Assortment, 100 g each

Date: 14.01.2023

#	Product	ColorIndex
40612	<b>Raw Umber, greenish dark</b> , from Italy <i>Suitability: Tempera, Watercolor / Gouache, Ceramic, Cement / Tadelakt, Oil, Acrylics, Lime / Fresco</i> Safety Data Sheet 40612_SDS.pdf	PBr 8.77727
40623	<b>Manganese Brown Intense</b> , from Morocco, Caledonian brown, Cappagh brown, contains manganese <i>Suitability: Tempera, Watercolor / Gouache, Ceramic, Cement / Tadelakt, Oil, Acrylics, Lime / Fresco</i>  <b>Signal word: Warning</b> GHS08-1 Health Hazard <b>Hazard designation</b> <b>H361:</b> Suspected of damaging fertility or the unborn child. <b>Safety Information</b> <b>P202:</b> Do not handle until all safety precautions have been read and understood. <b>P280:</b> Wear protective gloves/ clothing/ eye/ face protection. <b>P308+P313:</b> If exposed or concerned: Get medical advice/attention. <b>P405:</b> Store locked up. <b>P501:</b> Dispose of contents/ container according to regional, national and international regulations. Safety Data Sheet 40623_SDS.pdf	PBr 8.77727
40630	<b>Raw Umber, greenish</b> , German <i>Suitability: Tempera, Watercolor / Gouache, Ceramic, Cement / Tadelakt, Oil, Silicate binder, Waterglass, Acrylics, Lime / Fresco</i> Safety Data Sheet 40630_SDS.pdf	PBr 8.77727
40640	<b>Raw Umber, greenish A</b> <i>Suitability: Acrylics, Tempera, Watercolor / Gouache, Lime / Fresco, Oil</i> Safety Data Sheet 40640_SDS.pdf	PBr 7.77491
40650	<b>Chromite</b> , iron chromium oxide mineral, similar to a dark green umber <i>Suitability: Tempera, Watercolor / Gouache, Ceramic, Cement / Tadelakt, Oil, Silicate binder, Waterglass, Acrylics, Lime / Fresco</i> Safety Data Sheet 40650_SDS.pdf	
40660	<b>Raw Umber, dark</b> , brown slightly greenish, from Cyprus <i>Suitability: Tempera, Watercolor / Gouache, Ceramic, Cement / Tadelakt, Oil, Acrylics, Lime / Fresco</i> Safety Data Sheet 40660_SDS.pdf	PBr 8.77727
40700	<b>Burnt Umber, reddish</b> , Italian <i>Suitability: Tempera, Watercolor / Gouache, Ceramic, Cement / Tadelakt, Oil, Acrylics, Lime / Fresco</i> Safety Data Sheet 40700_SDS.pdf	PBr 7
40710	<b>Burnt Umber, brownish</b> , from Cyprus <i>Suitability: Tempera, Watercolor / Gouache, Ceramic, Cement / Tadelakt, Oil, Silicate binder, Waterglass, Acrylics, Lime / Fresco</i> Safety Data Sheet 40710_SDS.pdf	PBr 8.77727
40720	<b>Burnt Umber, dark brown</b> , from Cyprus <i>Suitability: Tempera, Watercolor / Gouache, Ceramic, Cement / Tadelakt, Oil, Silicate binder, Waterglass, Acrylics, Lime / Fresco</i> Safety Data Sheet 40720_SDS.pdf	PBr 7
40723	<b>Burnt Umber, type B</b> , from Cyprus <i>Suitability: Tempera, Watercolor / Gouache, Ceramic, Cement / Tadelakt, Oil, Silicate binder, Waterglass, Acrylics, Lime / Fresco</i> Safety Data Sheet 40723_SDS.pdf	PBr 8.77727

# Overview of hazardous substances / Content list



41990 Set: Earth Pigment Assortment, 100 g each

Date: 14.01.2023

#	Product	ColorIndex
40730	<b>Burnt Umber Light, reddish-brown</b> , from Cyprus <i>Suitability: Tempera, Watercolor / Gouache, Ceramic, Cement / Tadelakt, Oil, Acrylics, Lime / Fresco</i> Safety Data Sheet 40730_SDS.pdf	PBr 8.77727
40800	<b>Green Earth light</b> , yellowish, German <i>Suitability: Watercolor / Gouache, Ceramic, Cement / Tadelakt, Oil, Tempera, Lime / Fresco</i> Safety Data Sheet 40800_SDS.pdf	PG 23.77009
40810	<b>Bohemian Green Earth</b> , genuine, brilliant hue, extra fine grinding <i>Suitability: Watercolor / Gouache, Ceramic, Cement / Tadelakt, Oil, Tempera, Lime / Fresco</i> Safety Data Sheet 40810_SDS.pdf	PG 23.77009
40821	<b>Green Earth from Verona</b> , genuine, pure <i>Suitability: Watercolor / Gouache, Ceramic, Cement / Tadelakt, Oil, Tempera, Lime / Fresco</i> Safety Data Sheet 40821_SDS.pdf	PG 23.77009
40830	<b>Green Earth from France</b> , light <i>Suitability: Watercolor / Gouache, Ceramic, Cement / Tadelakt, Oil, Tempera, Lime / Fresco</i> Safety Data Sheet 40830_SDS.pdf	PG 23.77009
40850	<b>Burnt Green Earth</b> , reddish, coarser grind <i>Suitability: Tempera, Watercolor / Gouache, Ceramic, Cement / Tadelakt, Oil, Silicate binder, Waterglass, Acrylics, Lime / Fresco</i> Safety Data Sheet 40850_SDS.pdf	
40900	<b>Slate Gray, extra light</b> , stone chalk, semi opaque <i>Suitability: Tempera, Watercolor / Gouache, Ceramic, Oil, Acrylics, Lime / Fresco</i> Safety Data Sheet 40900_SDS.pdf	PBk 19.77017
40911	<b>Slate Gray, light, greenish</b> , stone chalk <i>Suitability: Tempera, Watercolor / Gouache, Ceramic, Oil, Acrylics, Lime / Fresco</i> Safety Data Sheet 40911_SDS.pdf	PBk 19.77017
40920	<b>Slate Gray, gray-green</b> , stone chalk <i>Suitability: Tempera, Watercolor / Gouache, Ceramic, Oil, Acrylics, Lime / Fresco</i> Safety Data Sheet 40920_SDS.pdf	PBk 19.77017
40960	<b>Pencil Clay, powder</b> , light warm gray, 0 - 0.5 mm <i>Suitability: Tempera, Watercolor / Gouache, Ceramic, Acrylics, Lime / Fresco</i> Safety Data Sheet 40960_SDS.pdf	
40970	<b>Pencil Clay, pieces</b> , light <i>Suitability: Tempera, Watercolor / Gouache, Ceramic, Acrylics, Lime / Fresco</i> Safety Data Sheet 40970_SDS.pdf	
40980	<b>Gray Earth, neutral</b> <i>Suitability: Tempera, Watercolor / Gouache, Lime / Fresco, Oil</i> Details 40980e.pdf Safety Data Sheet 40980_SDS.pdf	
41000	<b>Van Dyck Brown</b> , Cassel earth, dark <i>Suitability: Tempera, Watercolor / Gouache, Violin Varnish / Wooden Surfaces, Acrylics</i> Safety Data Sheet 41000_SDS.pdf	NBr 8
41050	<b>Walnut stain</b> , watersoluble, Van Dyck Brown, oak stain, walnut stain <i>Suitability: Violin Varnish / Wooden Surfaces, Acrylics, Watercolor / Gouache</i> Material Safety Data Sheet (pdf) 41050_SDS.pdf	NBr 8

# Overview of hazardous substances / Content list



41990 Set: Earth Pigment Assortment, 100 g each

Date: 14.01.2023

#	Product	ColorIndex
41550	<b>Terra Pozzuoli</b> , mixed red earths <i>Suitability: Tempera, Watercolor / Gouache, Cement / Tadelakt, Oil, Acrylics, Lime / Fresco</i> Safety Data Sheet 41550_SDS.pdf	PR 101, PR 102.77491
41600	<b>Terra Ercolano</b> , mixed orange earths <i>Suitability: Tempera, Watercolor / Gouache, Cement / Tadelakt, Oil, Acrylics, Lime / Fresco</i> Safety Data Sheet 41600_SDS.pdf	PR 101.77491
41700	<b>Verona Green Earth</b> , imitation <i>Suitability: Watercolor / Gouache, Cement / Tadelakt, Oil, Tempera, Lime / Fresco</i> Safety Data Sheet 41700_SDS.pdf	PG 23.77009
41750	<b>Vagone Green Earth</b> , mixture of different pigments <i>Suitability: Watercolor / Gouache, Oil, Tempera</i> Safety Data Sheet 41750_SDS.pdf	PG 7.74260, PB 11, PY 42
41770	<b>Nicosia Green</b> , mixed green earths with cobalt blue, enhanced <i>Suitability: Watercolor / Gouache, Oil, Tempera</i> Safety Data Sheet 41770_SDS.pdf	PG 23.77009
41800	<b>Bohemian Green Earth, imitation</b> , enhanced earth color, yellowish green light <i>Suitability: Watercolor / Gouache, Oil, Tempera, Lime / Fresco</i> Safety Data Sheet 41800_SDS.pdf	
41820	<b>Verona Green Earth, imitation</b> , mixed green earths <i>Suitability: Watercolor / Gouache, Cement / Tadelakt, Oil, Tempera, Lime / Fresco</i> Material Safety Data Sheet 41820_MSDS.pdf	
47501	<b>Manganese Black</b> , contains manganese <i>Suitability: Tempera, Watercolor / Gouache, Ceramic, Cement / Tadelakt, Oil, Silicate binder, Waterglass, Acrylics, Lime / Fresco</i> Safety Data Sheet 47501_SDS.pdf	PBk 33.77537