

Safety Data Sheet

According to regulation (EC) No. 1907/2006 (REACH)



79031 Harddrying Oil Kremer Matte

Page 1

Revised edition: 30.01.2020

Version: 1

Printed: 01.07.2020

1. Identification of the Substance/Mixture and of the Company/Undertaking

1.1. Product Identifier

Product Name: Harddrying Oil Kremer Matte

Article No.: 79031

1.2. Relevant identified Uses of the Substance or Mixture and Uses advised against

Identified uses:

Natural resin colors
Vegetable oil mixture with D60

Uses advised against:

1.3. Details of the Supplier of the Safety Data Sheet (Producer/Importer)

Company: Kremer Pigmente GmbH & Co. KG

Address: Hauptstr. 41-47, 88317 Aichstetten, Germany

Tel./Fax.: Tel +49 7565 914480, Fax +49 7565 1606

Internet: www.kremer-pigmente.com

E-Mail: info@kremer-pigmente.com

Importer: --

1.4. Emergency No.

Emergency No.: +49 7565 914480 (Mon-Fri 8:00 - 17:00)

1.4.2 Poison Center:

2. Hazards Identification

2.1. Classification of the Substance or Mixture

Classification according to Regulation (EC) No. 1272/2008 (CLP/GHS)

This product does not require classification and labelling as hazardous according to CLP/GHS.

Possible Environmental Effects:

2.2. Label Elements

Classification according to Regulation (EC) No. 1272/2008 (CLP/GHS)

This product does not require classification and labelling as hazardous according to CLP/GHS.

Hazard designation:

Not applicable.

Signal word:

Hazard designation:

Safety designation:

Hazardous components for labelling:

2.3. Other Hazards

3. Composition/Information on Ingredients

Substance

next page: 2

Safety Data Sheet

According to regulation (EC) No. 1907/2006 (REACH)



79031 Harddrying Oil Kremer Matte

Page 2

Revised edition: 30.01.2020

Version: 1

Printed: 01.07.2020

3.1.	
3.2.	Mixture
	<i>Chemical Characterization:</i> Resin solution of colophony resin, modified (25-50 %), matted with beeswax.
	<i>Information on Components / Hazardous Ingredients:</i>
	Hydrocarbons, C10-C13, n-Alkanes, Isoalkanes, 25 - 50 % CAS-Nr: (64742-48-9)
	Cyclenes, < 2% Aromatics (Asp. Tox. 1-H304); EINECS-Nr: 918-481-9
	REACH Reg. No. 01-2119457273-39 EC-Nr:

Additional information:

4. First Aid Measures

4.1. Description of the First Aid Measures

General information:

*Stable side position in case of unconsciousness.
Never give anything by mouth to an unconscious person.*

After inhalation:

Supply fresh air. If required give artificial respiration. In case of complaints or unconsciousness consult a physician. In case of unconsciousness place patient stable in side position for transportation.

After skin contact:

Wash off with plenty of water and soap.

After eye contact:

Rinse open eyes with plenty of water. In case of discomfort seek medical help.

After ingestion:

*Rinse mouth with plenty of water.
Do not induce vomiting. Consult physician immediately.*

4.2. Most important Symptoms and Effects, both Acute and Delayed

Symptoms:

No further information available.

Effects:

No further information available.

4.3. Indication of any Immediate Medical Attention and special Treatment needed

Treatment:

No further information available.

5. Fire-Fighting Measures

5.1. Extinguishing Media

Suitable extinguishing media:

Foam, carbon dioxide (CO₂), extinguishing powder, water spray.

Unsuitable extinguishing media:

Water with full jet.

next page: 3

Safety Data Sheet

According to regulation (EC) No. 1907/2006 (REACH)



79031 Harddrying Oil Kremer Matte

Page 3

Revised edition: 30.01.2020

Version: 1

Printed: 01.07.2020

5.2. Special Hazards arising from the Substance or Mixture

Special hazards:

When heated or in case of fire: formation of hazard fumes possible.

In case of fire: formation of carbon oxides, nitrogen oxides.

5.3. Advice for Firefighters

Protective equipment:

Wear self-contained respiratory protective device.

Further information:

Cool exposed containers with water spray.

Contaminated extinguishing water and debris should be disposed of according to local regulations.

6. Accidental Release Measures

6.1. Personal Precautions, Protective Equipment and Emergency Procedures

Personal precautions:

Wear protective clothing.

Provide adequate ventilation. Keep away from sources of ignition.

Do not inhale aerosol/fumes/vapors.

6.2. Environmental Precautions

Environmental precautions:

Prevent contamination of soils, drains and surface water.

6.3. Methods and Material for Containment and Cleaning Up

Methods and material:

Contain with absorbent material (sand, diatomaceous earth, acid binder, universal absorbent, saw dust) and dispose accordingly.

6.4. Reference to other Sections

For information for safe handling see Section 7.

Protective clothing, see Section 8.

Dispose of contaminated material according to Section 13.

7. Handling and Storage

7.1. Precautions for Safe Handling

Instructions on safe handling:

Provide adequate ventilation, also in floor area (vapors are heavier than air).

Do not breathe vapors, spray or gas.

Hygienic measures:

Avoid contact with eyes and skin.

Keep away from foodstuffs and drinks.

7.2. Conditions for Safe Storage, including any Incompatibilities

Storage conditions:

Store in tightly sealed containers in a dry and cool room.

Protect against heat and direct sunlight.

Requirements for storage areas and

next page: 4

Safety Data Sheet

According to regulation (EC) No. 1907/2006 (REACH)



79031 Harddrying Oil Kremer Matte

Page 4

Revised edition: 30.01.2020

Version: 1

Printed: 01.07.2020

containers:

Store the product in the original container.

Information on fire and explosion protection:

Keep away from sources of ignition - do not smoke. Take measures to prevent electrostatic discharge.

Vapors may form an explosive mixture with air.

Do not store together with: oxidants and acidic or alkali-containing products.

Storage class:

10; Combustible liquids (TRGS 510)

Further Information:

Storage temperature: 5 - 30°C

7.3. Specific End Use(s)

Further information:

8. Exposure Controls/Personal Protection

8.1. Parameters to be Controlled

Parameters to be controlled (DE):

TRGS 900

Hydrocarbons, C10-C13, n-alkanes, isoalkanes, cyclics, < 2% aromatics: TWA: 300 mg/m³

Parameters to be controlled:

Derived No-Effect Level (DNEL):

Predicted No-Effect Concentration (PNEC):

Additional Information:

8.2. Exposure Controls

Technical protective measures:

Provide adequate ventilation/exhaust system.

Personal Protection

General protective measures:

Keep away from foodstuffs and drinks. Do not eat, drink or smoke during work. Wash hands before breaks and at the end of work.

Preventive skin protection by applying protective cream.

Remove contaminated clothing immediately.

Respiratory protection:

Respiratory equipment required in case of insufficient ventilation, filter type A-P2 (organic gases and vapors).

Hand protection:

Chemical protective gloves (EN 374 (Europe), F739 (US)).

Protective glove material:

Protective gloves made of butyl rubber.

Recommended: Protective index 6, > 480 min. of permeation time
next page: 5

Safety Data Sheet

According to regulation (EC) No. 1907/2006 (REACH)



79031 Harddrying Oil Kremer Matte

Page 5

Revised edition: 30.01.2020

Version: 1

Printed: 01.07.2020

accord. EN 374.

Eye protection:

Safety glasses (EN 166)

Body protection:

Protective clothing, antistatic.

Environmental precautions:

Avoid contamination of sewage system, open water ways and ground water.

9. Physical and Chemical Properties

9.1. Information on Basic Physical and Chemical Properties

Form:

liquid

Color:

brownish

Odor:

weak, characteristic

Odor threshold:

No information available.

pH-Value:

not determined

Melting temperature:

not determined

Boiling temperature:

> 100°C

Flash point:

> 200°C

Evaporation rate:

not applicable

Flammability (solid, gas):

not applicable

Upper explosion limit:

no information available

Lower explosion limit:

no information available

Vapor pressure:

not determined

Vapor density:

No information available.

Density:

0.94 g/m³ (20°C)

Solubility in water:

insoluble

Coefficient of variation (n-Octanol/Water):

not determined

Auto-ignition temperature:

No information available.

next page: 6

Safety Data Sheet

According to regulation (EC) No. 1907/2006 (REACH)



79031 Harddrying Oil Kremer Matte

Page 6

Revised edition: 30.01.2020

Version: 1

Printed: 01.07.2020

Decomposition temperature:

not determined

Viscosity, dynamic:

80 mPa.s (20°C)

Explosive properties:

Product does not present an explosion hazard.

Oxidizing properties:

No oxidizing properties

Bulk density:

not applicable

9.2. Further Information

Solubility in solvents:

Viscosity, kinematic:

Burning class:

Solvent content:

Solid content:

Particle size:

Other information:

No further information.

10. Stability and Reactivity

10.1. Reactivity

Stable if used according to specifications.

10.2. Chemical Stability

Stable if used according to specifications.

10.3. Possibility of Hazardous Reactions

Strong exothermic reaction with acids, alkalis and oxidants.

10.4. Conditions to Avoid

Conditions to avoid:

Avoid heat, hot surfaces, sparks, naked flames and other ignition sources. Do not smoke.

Thermal decomposition:

No data available.

10.5. Incompatible Materials

Strong acids.

Oxidizing agents, alkalis.

10.6. Hazardous Decomposition Products

Carbon monoxide and dioxide, fumes, nitrogen oxide.

10.7. Further Information

11. Toxicological Information

11.1. Information on Toxicological Effects

Acute Toxicity

next page: 7

Safety Data Sheet

According to regulation (EC) No. 1907/2006 (REACH)



79031 Haddrying Oil Kremer Matte

Page 7

Revised edition: 30.01.2020

Version: 1

Printed: 01.07.2020

LD50, oral:

Hydrocarbons, C10-C13, N-Alkanes, Isoalkanes, cyclenes, <2% aromatics: > 5000 mg/kg (rat; OECD 401)

LD50, dermal:

Hydrocarbons, C10-C13, n-Alkanes, Isoalkanes, cyclenes, <2% aromatics: > 2000 mg/kg (rat; OECD 402)

LC50, inhalation:

No information available.

Primary effects

Irritant effect on skin:

No irritant effect known.

Irritant effect on eyes:

No irritant effect known.

Inhalation:

No information available.

Ingestion:

No information available

Sensitization:

No sensitizing effects known.

Mutagenicity:

No mutagenic effects known.

Reproductive toxicity:

No negative effects known.

Carcinogenicity:

No cancerogenic effect known.

Teratogenicity:

Not considered to be teratogenic.

Specific target organ toxicity (STOT):

No relevant data found.

Additional toxicological information:

Aspiration hazard: not applicable

12. Ecological Information

12.1. Aquatic Toxicity

Fish toxicity:

Hydrocarbons, C10-C13, N-Alkanes, Isoalkanes, cyclenes, <2% aromatics: LL50: > 1000 mg/kg (96h, Oncorhynchus mykiss; OECD 203)

Daphnia toxicity:

Hydrocarbons, C10-C13, N-Alkanes, Isoalkanes, cyclenes, <2% aromatics: LL50/EL50: >1000 mg/l (48h, Daphnia magna; OECD 202)

Bacteria toxicity:

next page: 8

Safety Data Sheet

According to regulation (EC) No. 1907/2006 (REACH)



79031 Harddrying Oil Kremer Matte

Page 8

Revised edition: 30.01.2020

Version: 1

Printed: 01.07.2020

No data available.

Algae toxicity:

*Hydrocarbons, C10-C13, n-Alkanes, Isoalkanes, cyclenes, < 2%
Aromatics: EL50: >1000 mg/l (72h, Pseudokirchneriella
subcapitata; OECD 201)*

12. 2. Persistency and Degradability

*Hydrocarbons, C10-C13, N-Alkanes, Isoalkanes, cyclenes, <2%
aromatics: readily biodegradable*

Oxygen consumption: 80 % (28d; OECD 301F)

Carbon dioxide formation: 20.62 % (31d)

12. 3. Bioaccumulation

No information available.

12. 4. Mobility

No information available.

12. 5. Results of PBT- und vPvP Assessment

*On the basis of available data, the product does not contain and
PBT or vPvB in percentage greater than 0.1 %.*

12. 6. Other Adverse Effects

Water hazard class:

1, slightly hazardous

*Do not let product contaminate ground water, waterways or
sewage system.*

Behaviour in sewage systems:

Further ecological effects:

AOX Value:

13. Disposal Considerations

13. 1. Waste Treatment Methods

Product:

*Dispose of according to official national and local regulations.
Must not be disposed together with household garbage.*

European Waste Code (EWC):

*The waste code is determined according to the kind of waste and
industry stated in the European Waste Catalogue.*

Uncleaned packaging:

Dispose of according to official local regulations.

Waste Code No.:

14. Transport Information

14. 1. UN Number

ADR, IMDG, IATA

14. 2. UN Proper Shipping Name

ADR/RID:

No hazardous goods according to ADR (land transportation).

next page: 9

Safety Data Sheet

According to regulation (EC) No. 1907/2006 (REACH)



79031 Harddrying Oil Kremer Matte

Page 9

Revised edition: 30.01.2020

Version: 1

Printed: 01.07.2020

IMDG/IATA:

No hazardous goods according to IMDG.

14.3. Transport Hazard Classes

ADR Class:

not applicable

Hazard no.:

Classification code:

Tunnel restriction code:

IMDG Class (sea):

Hazard no.:

EmS No.:

IATA Class:

not applicable

Hazard no.:

14.4. Packaging Group

ADR/RID:

not applicable

IMDG:

IATA:

14.5. Environmental Hazards

None

14.6. Special Precautions for User

Not classified as a dangerous good under transport regulations.

14.7. Transportation in Bulk according to Annex II of MARPOL 73/78 and IBC-Code

14.8. Further Information

15. Regulatory Information

15.1. Safety, Health and Environmental Regulations/Legislation specific for the Substance or Mixture

Water hazard class:

1, slightly hazardous for water (according to the German Regulation AwSV)

Local regulations on chemical accidents:

Seveso III: does not apply

Employment restrictions:

The employment restrictions for young workers in accordance with the Youth Employment Protection Law (§ 22 JArbSchG) are to be observed.

Restriction and prohibition of application:

EC. REACH, Section XVII, Restrictions on the Manufacture, Placing on the Market and Use of Certain Dangerous Substances, Preparations and Articles: Hydrocarbons, C10-C13, n-Alkanes, Isoalkanes, Cyclics, < 2% Aromatics: R3

next page: 10

Safety Data Sheet

According to regulation (EC) No. 1907/2006 (REACH)



79031 Harddrying Oil Kremer Matte

Page 10

Revised edition: 30.01.2020

Version: 1

Printed: 01.07.2020

Technical instructions on air quality:

5.2.5.: Organic substances: > 25 wt.-% ($m \geq 0.50$ kg/h: conc. 50 mg/m³)

15.2. Chemical Safety Assessment

A Chemical Safety Assessment has not been carried out for this product.

15.3. Further Information

RoHS Directive 2011/65/EC on the Restriction of the Use of Certain Hazardous Substances in Electrical and Electronic Equipment (RoHS 2): not listed.

Regulation (EC) 649/2012 concerning the export and import of dangerous chemicals: Not applicable

Regulation (EC) 1005/2009 - Substances that Deplete the Ozone Layer: not regulated / not applicable

Regulation (EC) 648/2004 on detergents:

Aliphatic hydrocarbons: > 30 %

16. Other Information

This product should be stored, handled and used in accordance with good hygiene practices and in conformity with any legal regulations. This information contained herein is based on the present state of knowledge and is intended to describe our product from the point of view of safety requirements. It should be therefore not be construed as guaranteeing specific properties.