

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006

**HUNTSMAN**

Enriching lives through innovation

## ARALDITE® AY 103-1

Version	Revision Date:	SDS Number:	Date of last issue: 31.01.2017
2.0	12.09.2018	400001007825	Date of first issue: 08.11.2016

### SECTION 1: Identification of the substance/mixture and of the company/undertaking

#### 1.1 Product identifier

Trade name : ARALDITE® AY 103-1

#### 1.2 Relevant identified uses of the substance or mixture and uses advised against

Use of the Substance/Mixture : Epoxy constituents

#### 1.3 Details of the supplier of the safety data sheet

Company : Huntsman Advanced Materials (Europe)BVBA  
Address : Everslaan 45  
3078 Everberg  
Belgium  
Telephone : +41 61 299 20 41  
Telefax : +41 61 299 20 40  
E-mail address of person responsible for the SDS : Global\_Product\_EHS\_AdMat@huntsman.com

#### 1.4 Emergency telephone number

Emergency telephone number : Berlin: 0049 30 19 24 0 & 0049 30 30 68 6 7 11  
Bonn: 0049 228 19 27 0 & 0049 228 28 7 3 32 11  
Erfurt: 0049 361 73 07 30  
Freiburg: 0049 761 16 24 0  
Göttingen: 0049 51 19 24 0 & 0049 551 38 31 80  
Homburg: 0049 6841 19 24 0  
Mainz: 0049 6131 19 24 0 & 0049 6131 23 24 66  
München: 0049 89 19 24 0  
Nürnberg: 0049 911 39 8 2 45 1  
EUROPE: +32 35 75 1234  
France ORFILA: +33(0)145425959  
ASIA: +65 6336-6011  
China: +86 20 39377888  
+86 532 83889090  
India: + 91 22 42 87 5333  
Australia: 1800 786 152  
New Zealand: 0800 767 437  
USA: +1/800/424.9300

### SECTION 2: Hazards identification

#### 2.1 Classification of the substance or mixture

##### Classification (REGULATION (EC) No 1272/2008)

Skin irritation, Category 2 H315: Causes skin irritation.

Eye irritation, Category 2 H319: Causes serious eye irritation.

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006

**HUNTSMAN**

Enriching lives through innovation

## ARALDITE® AY 103-1

Version	Revision Date:	SDS Number:	Date of last issue:
2.0	12.09.2018	400001007825	31.01.2017
			Date of first issue: 08.11.2016

Skin sensitisation, Category 1	H317: May cause an allergic skin reaction.
Aspiration hazard, Category 1	H304: May be fatal if swallowed and enters airways.
Long-term (chronic) aquatic hazard, Category 2	H411: Toxic to aquatic life with long lasting effects.

### 2.2 Label elements

#### Labelling (REGULATION (EC) No 1272/2008)

Hazard pictograms :



Signal word : Danger

Hazard statements :

H304	May be fatal if swallowed and enters airways.
H315	Causes skin irritation.
H317	May cause an allergic skin reaction.
H319	Causes serious eye irritation.
H411	Toxic to aquatic life with long lasting effects.

Precautionary statements :

<b>Prevention:</b>	
P261	Avoid breathing dust/ fume/ gas/ mist/ vapours/ spray.
P273	Avoid release to the environment.
P280	Wear protective gloves/ eye protection/ face protection.
<b>Response:</b>	
P301 + P310	IF SWALLOWED: Immediately call a POISON CENTER/doctor.
P331	Do NOT induce vomiting.
P391	Collect spillage.

Hazardous components which must be listed on the label:

2,2'-[(1-methylethylidene)bis(4,1-phenyleneoxymethylene)]bisoxirane

bis(isopropyl)naphthalene

### 2.3 Other hazards

This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher.

## SECTION 3: Composition/information on ingredients

### 3.2 Mixtures

#### Hazardous components

**ARALDITE® AY 103-1**

Version 2.0      Revision Date: 12.09.2018      SDS Number: 400001007825      Date of last issue: 31.01.2017  
Date of first issue: 08.11.2016

Chemical name	CAS-No. EC-No. Index-No. Registration number	Classification	Concentration (% w/w)
2,2'-[(1-methylethylidene)bis(4,1-phenyleneoxymethylene)]bisoxirane	1675-54-3 216-823-5 603-073-00-2 01-2119456619-26	Skin Irrit. 2; H315 Eye Irrit. 2; H319 Skin Sens. 1; H317 Aquatic Chronic 2; H411	>= 70 - < 90
Bis(isopropyl)naphthalene	38640-62-9 254-052-6 01-2119565150-48	Asp. Tox. 1; H304 Aquatic Chronic 1; H410	>= 10 - < 20

For explanation of abbreviations see section 16.

Both 25068-38-6 and 1675-54-3 can be used to describe the epoxy resin which is produced through the reaction of Bisphenol A and Epichlorhydrin

**SECTION 4: First aid measures**

**4.1 Description of first aid measures**

- General advice : Move out of dangerous area.  
Show this safety data sheet to the doctor in attendance.  
Treat symptomatically.  
Get medical attention if symptoms occur.
- If inhaled : Move to fresh air.  
Keep patient warm and at rest.  
If symptoms persist, call a physician.
- If inhaled, remove to fresh air.  
Get medical attention if symptoms occur.
- In case of skin contact : Take off contaminated clothing and shoes immediately.  
Wash off with soap and plenty of water.  
If symptoms persist, call a physician.
- If skin irritation persists, call a physician.  
If on skin, rinse well with water.  
If on clothes, remove clothes.
- In case of eye contact : Immediately flush eye(s) with plenty of water.  
Remove contact lenses.  
Seek medical advice.
- Immediately flush eye(s) with plenty of water.  
Remove contact lenses.  
Keep eye wide open while rinsing.  
If eye irritation persists, consult a specialist.
- If swallowed : Rinse mouth with water.  
Do NOT induce vomiting.  
Consult a physician if necessary.
- Keep respiratory tract clear.

**ARALDITE® AY 103-1**

Version	Revision Date:	SDS Number:	Date of last issue: 31.01.2017
2.0	12.09.2018	400001007825	Date of first issue: 08.11.2016

Never give anything by mouth to an unconscious person.  
If symptoms persist, call a physician.

**4.2 Most important symptoms and effects, both acute and delayed**

None known.

**4.3 Indication of any immediate medical attention and special treatment needed**

Treatment : Treat symptomatically.

Treat symptomatically.

**SECTION 5: Firefighting measures**

**5.1 Extinguishing media**

Suitable extinguishing media : Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.

Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.

Unsuitable extinguishing media : None known.

High volume water jet

**5.2 Special hazards arising from the substance or mixture**

Specific hazards during firefighting : Do not use a solid water stream as it may scatter and spread fire.

Do not allow run-off from fire fighting to enter drains or water courses.

Do not allow run-off from fire fighting to enter drains or water courses.

Hazardous combustion products : No hazardous combustion products are known

Carbon oxides  
Halogenated compounds

**5.3 Advice for firefighters**

Special protective equipment for firefighters : In the event of fire, wear self-contained breathing apparatus.

Wear self-contained breathing apparatus for firefighting if necessary.

Specific extinguishing methods : No data is available on the product itself.

**ARALDITE® AY 103-1**

Version 2.0      Revision Date: 12.09.2018      SDS Number: 400001007825      Date of last issue: 31.01.2017  
Date of first issue: 08.11.2016

Further information : Collect contaminated fire extinguishing water separately. This must not be discharged into drains. Fire residues and contaminated fire extinguishing water must be disposed of in accordance with local regulations. Collect contaminated fire extinguishing water separately. This must not be discharged into drains. Fire residues and contaminated fire extinguishing water must be disposed of in accordance with local regulations.

**SECTION 6: Accidental release measures**

**6.1 Personal precautions, protective equipment and emergency procedures**

Personal precautions : Use personal protective equipment.  
Ensure adequate ventilation.  
Use personal protective equipment.  
Refer to protective measures listed in sections 7 and 8.

**6.2 Environmental precautions**

Environmental precautions : Prevent product from entering drains.  
Do not allow contact with soil, surface or ground water.  
  
Prevent product from entering drains.  
Prevent further leakage or spillage if safe to do so.  
If the product contaminates rivers and lakes or drains inform respective authorities.

**6.3 Methods and material for containment and cleaning up**

Methods for cleaning up : Soak up with inert absorbent material (e.g. sand, silica gel, acid binder, universal binder, sawdust).  
Keep in suitable, closed containers for disposal.  
  
Soak up with inert absorbent material (e.g. sand, silica gel, acid binder, universal binder, sawdust).  
Keep in suitable, closed containers for disposal.

**6.4 Reference to other sections**

For disposal considerations see section 13., See Section 1 for emergency contact information.,  
For personal protection see section 8.

**SECTION 7: Handling and storage**

**7.1 Precautions for safe handling**

Technical measures : Ensure that eyewash stations and safety showers are close to the workstation location.  
  
Local/Total ventilation : Ensure adequate ventilation.  
  
Advice on safe handling : Avoid contact with skin and eyes.  
For personal protection see section 8.

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006

**HUNTSMAN**

Enriching lives through innovation

## ARALDITE® AY 103-1

Version	Revision Date:	SDS Number:	Date of last issue:
2.0	12.09.2018	400001007825	31.01.2017
			Date of first issue: 08.11.2016

Smoking, eating and drinking should be prohibited in the application area.  
Dispose of rinse water in accordance with local and national regulations.

Do not breathe vapours/dust.  
Avoid exposure - obtain special instructions before use.  
Avoid contact with skin and eyes.  
For personal protection see section 8.  
Smoking, eating and drinking should be prohibited in the application area.  
Dispose of rinse water in accordance with local and national regulations.  
Persons susceptible to skin sensitisation problems or asthma, allergies, chronic or recurrent respiratory disease should not be employed in any process in which this mixture is being used.

Advice on protection against fire and explosion : Normal measures for preventive fire protection.

Normal measures for preventive fire protection.

Hygiene measures : Handle in accordance with good industrial hygiene and safety practice. When using do not eat, drink or smoke. Wash hands before breaks and at the end of workday.

When using do not eat or drink. When using do not smoke. Wash hands before breaks and at the end of workday.

### 7.2 Conditions for safe storage, including any incompatibilities

Requirements for storage areas and containers : Keep containers tightly closed in a cool, well-ventilated place. Containers which are opened must be carefully resealed and kept upright to prevent leakage.

Keep container tightly closed in a dry and well-ventilated place. Containers which are opened must be carefully resealed and kept upright to prevent leakage. Keep in properly labelled containers.

Advice on common storage : For incompatible materials please refer to Section 10 of this SDS.

Storage class (TRGS 510) : 12, Non Combustible Liquids

Further information on storage stability : No decomposition if stored and applied as directed.

Recommended storage temperature : 2 - 40 °C

Stable under normal conditions.

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006

**HUNTSMAN**

Enriching lives through innovation

## ARALDITE® AY 103-1

Version 2.0      Revision Date: 12.09.2018      SDS Number: 400001007825      Date of last issue: 31.01.2017  
Date of first issue: 08.11.2016

### 7.3 Specific end use(s)

Specific use(s) : No data available

## SECTION 8: Exposure controls/personal protection

### 8.1 Control parameters

Contains no substances with occupational exposure limit values.

#### Derived No Effect Level (DNEL) according to Regulation (EC) No. 1907/2006:

Substance name	End Use	Exposure routes	Potential health effects	Value	
2,2'-[(1-methylethylidene)bis(4,1-phenyleneoxymethylene)]bisoxirane	Workers	Dermal	Systemic effects, Short-term exposure	8,33 mg/kg bw/day	
	Workers	Inhalation	Systemic effects, Short-term exposure	12,25 mg/m3	
	Workers	Dermal	Systemic effects, Long-term exposure	8,33 mg/kg bw/day	
	Workers	Inhalation	Systemic effects, Long-term exposure	12,25 mg/m3	
	Consumers	Dermal	Systemic effects, Short-term exposure	3,571 mg/kg bw/day	
	Consumers	Oral	Systemic effects, Short-term exposure	0,75 mg/kg bw/day	
	Consumers	Dermal	Systemic effects, Long-term exposure	3,571 mg/kg bw/day	
	Consumers	Oral	Systemic effects, Long-term exposure	0,75 mg/kg bw/day	
	bis(isopropyl)naphthalene	Workers	Inhalation	Systemic effects, Long-term exposure	30 mg/m3
		Workers	Dermal	Systemic effects, Long-term exposure	4,3 mg/kg bw/day
		Consumers	Inhalation	Systemic effects, Long-term exposure	7,4 mg/m3
		Consumers	Dermal	Systemic effects, Long-term exposure	2,1 mg/kg bw/day
Consumers		Oral	Systemic effects, Long-term exposure	2,1 mg/kg bw/day	

#### Predicted No Effect Concentration (PNEC) according to Regulation (EC) No. 1907/2006:

Substance name	Environmental Compartment	Value
2,2'-[(1-methylethylidene)bis(4,1-phenyleneoxymethylene)]bisoxirane	Fresh water	0,006 mg/l

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006

**HUNTSMAN**

Enriching lives through innovation

## ARALDITE® AY 103-1

Version  
2.0

Revision Date:  
12.09.2018

SDS Number:  
400001007825

Date of last issue: 31.01.2017  
Date of first issue: 08.11.2016

ne		
Remarks:	Assessment Factors	
	Marine water	0,0006 mg/l
	Assessment Factors	
	Freshwater - intermittent	0,018 mg/l
	Assessment Factors	
	Fresh water sediment	0,996 mg/kg
	Equilibrium method	
	Marine sediment	0,0996 mg/kg
	Equilibrium method	
	Soil	0,196 mg/kg
	Equilibrium method	
	Sewage treatment plant	10 mg/l
	Assessment Factors	
	Secondary Poisoning	11 mg/kg
bis(isopropyl)naphthalene	Fresh water	0,26 µg/l
	Assessment Factors	
	Marine water	0,026 µg/l
	Assessment Factors	
	Sewage treatment plant	0,15 mg/l
	Assessment Factors	
	Fresh water sediment	0,94 mg/kg
	Equilibrium method	
	Marine sediment	0,094 mg/kg
	Equilibrium method	
	Soil	0,1872 mg/kg
	Equilibrium method	
	Secondary Poisoning	25 mg/kg
	Assessment Factors	

### 8.2 Exposure controls

#### Personal protective equipment

Eye protection : Safety glasses

Eye wash bottle with pure water

Tightly fitting safety goggles

Wear face-shield and protective suit for abnormal processing problems.

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006

**HUNTSMAN**

Enriching lives through innovation

## ARALDITE® AY 103-1

Version	Revision Date:	SDS Number:	Date of last issue: 31.01.2017
2.0	12.09.2018	400001007825	Date of first issue: 08.11.2016

Hand protection  
Material : butyl-rubber

Material : Ethyl Vinyl Alcohol Laminate (EVAL)  
Break through time : > 8 h

Material : Nitrile rubber  
Break through time : 10 - 480 min

Remarks : The suitability for a specific workplace should be discussed with the producers of the protective gloves. Take note of the information given by the producer concerning permeability and break through times, and of special workplace conditions (mechanical strain, duration of contact).  
The suitability for a specific workplace should be discussed with the producers of the protective gloves.

Skin and body protection : Protective suit  
  
Impervious clothing  
Choose body protection according to the amount and concentration of the dangerous substance at the work place.

Respiratory protection : Use respiratory protection unless adequate local exhaust ventilation is provided or exposure assessment demonstrates that exposures are within recommended exposure guidelines  
Recommended Filter type:  
Combined particulates and organic vapour type

Filter type : Filter type A-P

## SECTION 9: Physical and chemical properties

### 9.1 Information on basic physical and chemical properties

Appearance : liquid

Colour : yellow

Odour : slight

Odour Threshold : No data is available on the product itself.

pH : No data is available on the product itself.

Freezing point : No data is available on the product itself.

Melting point : No data is available on the product itself.

Boiling point : > 200 °C

Flash point : > 140 °C  
Method: estimated, closed cup

**ARALDITE® AY 103-1**

Version	Revision Date:	SDS Number:	Date of last issue: 31.01.2017
2.0	12.09.2018	400001007825	Date of first issue: 08.11.2016

Evaporation rate : No data is available on the product itself.

Flammability (solid, gas) : No data is available on the product itself.

Burning rate : No data is available on the product itself.

Upper explosion limit / Upper flammability limit : No data is available on the product itself.

Lower explosion limit / Lower flammability limit : No data is available on the product itself.

Vapour pressure : < 0,0001 hPa (20 °C)

Relative vapour density : No data is available on the product itself.

Relative density : No data is available on the product itself.

Density : 1,12 g/cm<sup>3</sup> (25 °C)

Solubility(ies)

    Water solubility : practically insoluble (20 °C)

    Solubility in other solvents : No data is available on the product itself.

Partition coefficient: n-octanol/water : No data is available on the product itself.

Auto-ignition temperature : No data is available on the product itself.

Decomposition temperature : > 200 °C

Viscosity

    Viscosity, dynamic : 1,8 - 2,4 Pas (25 °C)

Explosive properties : No data is available on the product itself.

Oxidizing properties : No data is available on the product itself.

**9.2 Other information**

No data available

---

**SECTION 10: Stability and reactivity**

**10.1 Reactivity**

Stable under recommended storage conditions.  
No dangerous reaction known under conditions of normal use.

**10.2 Chemical stability**

No decomposition if stored and applied as directed.  
Stable under normal conditions.

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006

**HUNTSMAN**

Enriching lives through innovation

## ARALDITE® AY 103-1

Version	Revision Date:	SDS Number:	Date of last issue: 31.01.2017
2.0	12.09.2018	400001007825	Date of first issue: 08.11.2016

### 10.3 Possibility of hazardous reactions

Hazardous reactions : Stable under normal conditions.  
No hazards to be specially mentioned.

### 10.4 Conditions to avoid

Conditions to avoid : None known.  
None known.

### 10.5 Incompatible materials

Materials to avoid : Strong acids and strong bases  
Strong oxidizing agents  
None known.

### 10.6 Hazardous decomposition products

No hazardous decomposition products are known.  
Hazardous decomposition products : carbon dioxide  
carbon monoxide  
Halogenated compounds  
Carbon oxides  
Burning produces noxious and toxic fumes.

## SECTION 11: Toxicological information

### 11.1 Information on toxicological effects

#### Acute toxicity

##### Components:

2,2'-[(1-methylethylidene)bis(4,1-phenyleneoxymethylene)]bisoxirane:

Acute oral toxicity : LD50 (Rat, female): > 2 000 mg/kg  
Method: OECD Test Guideline 420  
Assessment: The substance or mixture has no acute oral toxicity

bis(isopropyl)naphthalene:

Acute oral toxicity : LD50 (Rat, male and female): 4 130 - 4 320 mg/kg  
Method: OECD Test Guideline 401  
Assessment: The component/mixture is low toxic after single ingestion.

##### Components:

bis(isopropyl)naphthalene:

Acute inhalation toxicity : LC50 (Rat, male and female): > 5,64 mg/l  
Exposure time: 4 h  
Test atmosphere: dust/mist  
Method: OECD Test Guideline 403

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006

**HUNTSMAN**

Enriching lives through innovation

## ARALDITE® AY 103-1

Version	Revision Date:	SDS Number:	Date of last issue: 31.01.2017
2.0	12.09.2018	400001007825	Date of first issue: 08.11.2016

### Components:

2,2'-[(1-methylethylidene)bis(4,1-phenyleneoxymethylene)]bisoxirane:

Acute dermal toxicity : LD50 (Rat, male and female): > 2 000 mg/kg  
Method: OECD Test Guideline 402  
Assessment: The substance or mixture has no acute dermal toxicity

bis(isopropyl)naphthalene:

Acute dermal toxicity : LD50 (Rat, male and female): > 4 500 mg/kg  
Method: OECD Test Guideline 402  
Assessment: The substance or mixture has no acute dermal toxicity

Acute toxicity (other routes of administration) : No data available

### **Skin corrosion/irritation**

#### Components:

2,2'-[(1-methylethylidene)bis(4,1-phenyleneoxymethylene)]bisoxirane:

Species: Rabbit  
Assessment: Mild skin irritant  
Method: OECD Test Guideline 404  
Result: Irritating to skin.

bis(isopropyl)naphthalene:

Species: Rabbit  
Exposure time: 4 h  
Assessment: No skin irritation  
Method: OECD Test Guideline 404  
Result: Normally reversible injuries

### **Serious eye damage/eye irritation**

#### Components:

2,2'-[(1-methylethylidene)bis(4,1-phenyleneoxymethylene)]bisoxirane:

Species: Rabbit  
Assessment: Mild eye irritant  
Method: OECD Test Guideline 405  
Result: Irritating to eyes.

bis(isopropyl)naphthalene:

Species: Rabbit  
Assessment: No eye irritation  
Method: OECD Test Guideline 405  
Result: No eye irritation

### **Respiratory or skin sensitisation**

#### Components:

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006

**HUNTSMAN**

Enriching lives through innovation

## ARALDITE® AY 103-1

Version	Revision Date:	SDS Number:	Date of last issue: 31.01.2017
2.0	12.09.2018	400001007825	Date of first issue: 08.11.2016

2,2'-[(1-methylethylidene)bis(4,1-phenyleneoxymethylene)]bisoxirane:

Exposure routes: Skin

Species: Mouse

Assessment: May cause sensitisation by skin contact.

Method: OECD Test Guideline 429

Result: Causes sensitisation.

bis(isopropyl)naphthalene:

Test Type: Maximisation Test

Exposure routes: Skin

Species: Guinea pig

Method: OECD Test Guideline 406

Result: Does not cause skin sensitisation.

### Components:

bis(isopropyl)naphthalene:

Assessment:

May be harmful if swallowed or if inhaled.

Does not cause skin sensitisation.

### **Germ cell mutagenicity**

#### Components:

2,2'-[(1-methylethylidene)bis(4,1-phenyleneoxymethylene)]bisoxirane:

Genotoxicity in vitro : Metabolic activation: with and without metabolic activation

Method: OECD Test Guideline 476

Result: positive

: Concentration: 0 - 5000 ug/plate

Metabolic activation: with and without metabolic activation

Method: OECD Test Guideline 471

Result: positive

bis(isopropyl)naphthalene:

Genotoxicity in vitro

: Test Type: Chromosome aberration test in vitro

Test system: Chinese hamster ovary cells

Concentration: 9.5 - 60 µg/L

Metabolic activation: with and without metabolic activation

Method: OECD Test Guideline 473

Result: negative

: Test Type: Ames test

Test system: Salmonella typhimurium

Concentration: 92 mg/plate

Metabolic activation: with and without metabolic activation

Method: OECD Test Guideline 471

Result: negative

: Test Type: In vitro mammalian cell gene mutation test

Test system: mouse lymphoma cells

Concentration: 40 - 60 mg/ml

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006

**HUNTSMAN**

Enriching lives through innovation

## ARALDITE® AY 103-1

Version	Revision Date:	SDS Number:	Date of last issue: 31.01.2017
2.0	12.09.2018	400001007825	Date of first issue: 08.11.2016

Metabolic activation: with and without metabolic activation  
Method: OECD Test Guideline 476  
Result: negative

### Components:

2,2'-[(1-methylethylidene)bis(4,1-phenyleneoxymethylene)]bisoxirane:

Genotoxicity in vivo : Cell type: Germ  
Application Route: Oral  
Method: OECD Test Guideline 478  
Result: negative

Cell type: Somatic  
Application Route: Oral  
Dose: 0 - 5000 mg/kg  
Method: OPPTS 870.5395  
Result: negative

bis(isopropyl)naphthalene:

Genotoxicity in vivo : Test Type: Micronucleus test  
Test species: Mouse (male and female)  
Application Route: Intraperitoneal injection  
Dose: 1.92 g/kg  
Method: OECD Test Guideline 474  
Result: negative

### Components:

bis(isopropyl)naphthalene:

Germ cell mutagenicity-Assessment : Tests on bacterial or mammalian cell cultures did not show mutagenic effects.

Germ cell mutagenicity-Assessment : No data available

### **Carcinogenicity**

#### Components:

2,2'-[(1-methylethylidene)bis(4,1-phenyleneoxymethylene)]bisoxirane:

Species: Rat, male and female  
Application Route: Oral  
Exposure time: 24 month(s)  
Dose: 15 mg/kg  
Frequency of Treatment: 7 days/week  
Method: OECD Test Guideline 453  
Result: negative

Species: Mouse, male  
Application Route: Dermal  
Exposure time: 24 month(s)

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006

**HUNTSMAN**

Enriching lives through innovation

## ARALDITE® AY 103-1

Version	Revision Date:	SDS Number:	Date of last issue: 31.01.2017
2.0	12.09.2018	400001007825	Date of first issue: 08.11.2016

Dose: 0.1 mg/kg  
Frequency of Treatment: 3 days/week  
Method: OECD Test Guideline 453  
Result: negative

Species: Rat, female  
Application Route: Dermal  
Exposure time: 24 month(s)  
Dose: 1 mg/kg  
Frequency of Treatment: 5 days/week  
Method: OECD Test Guideline 453  
Result: negative

Carcinogenicity - Assessment : No data available

### Reproductive toxicity

#### Components:

2,2'-[(1-methylethylidene)bis(4,1-phenyleneoxymethylene)]bisoxirane:  
Effects on fertility : Test Type: Two-generation study  
Species: Rat, male and female  
Application Route: Oral  
Dose: >750 milligram per kilogram  
General Toxicity - Parent: No-observed-effect level: 540 mg/kg body weight  
General Toxicity F1: No-observed-effect level: 540 mg/kg body weight  
Symptoms: No adverse effects  
Method: OECD Test Guideline 416  
Result: No effects on fertility and early embryonic development were detected.

#### Components:

2,2'-[(1-methylethylidene)bis(4,1-phenyleneoxymethylene)]bisoxirane:  
Effects on foetal development : Species: Rabbit, female  
Application Route: Dermal  
General Toxicity Maternal: No observed adverse effect level: 30 mg/kg body weight  
Method: Other guidelines  
Result: No teratogenic effects

Species: Rabbit, female  
Application Route: Oral  
General Toxicity Maternal: No observed adverse effect level: 60 mg/kg body weight  
Method: OECD Test Guideline 414  
Result: No teratogenic effects

Species: Rat, female  
Application Route: Oral  
General Toxicity Maternal: No observed adverse effect level: 180 mg/kg body weight  
Method: OECD Test Guideline 414

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006

**HUNTSMAN**

Enriching lives through innovation

## ARALDITE® AY 103-1

Version	Revision Date:	SDS Number:	Date of last issue: 31.01.2017
2.0	12.09.2018	400001007825	Date of first issue: 08.11.2016

Result: No teratogenic effects

bis(isopropyl)naphthalene:

Species: Rat, female  
Application Route: Oral  
Dose: 100, 250, 625 mg/kg  
Duration of Single Treatment: 20 d  
Frequency of Treatment: 7 days/week  
General Toxicity Maternal: Lowest observed adverse effect level: 250 mg/kg body weight  
Teratogenicity: No observed adverse effect level: 625 mg/kg body weight  
Embryo-foetal toxicity: No observed adverse effect level: 625 mg/kg body weight  
Method: Directive 67/548/EEC, Annex V, B.31.  
Result: No teratogenic effects

### Components:

bis(isopropyl)naphthalene:

Reproductive toxicity -  
Assessment

: No evidence of adverse effects on sexual function and fertility, or on development, based on animal experiments.

### **STOT - single exposure**

No data available

### **STOT - repeated exposure**

No data available

### **Repeated dose toxicity**

#### Components:

2,2'-[(1-methylethylidene)bis(4,1-phenyleneoxymethylene)]bisoxirane:

Species: Rat, male and female

NOAEL: 50 mg/kg

Application Route: Ingestion

Exposure time: 14 Weeks Number of exposures: 7 d

Method: Subchronic toxicity

Species: Rat, male and female

NOEL: 10 mg/kg

Application Route: Skin contact

Exposure time: 13 Weeks Number of exposures: 5 d

Method: Subchronic toxicity

Species: Mouse, male

NOAEL: 100 mg/kg

Application Route: Skin contact

Exposure time: 13 Weeks Number of exposures: 3 d

Method: Subchronic toxicity

bis(isopropyl)naphthalene:

Species: Rat, male and female

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006

**HUNTSMAN**

Enriching lives through innovation

## ARALDITE® AY 103-1

Version	Revision Date:	SDS Number:	Date of last issue: 31.01.2017
2.0	12.09.2018	400001007825	Date of first issue: 08.11.2016

NOAEL: 170 mg/kg  
Application Route: oral (feed)  
Exposure time: 4 320 h Number of exposures: 7 d  
Dose: 170, 340, and 670 mg/kg  
Method: Subchronic toxicity  
Remarks: No significant adverse effects were reported

### **Components:**

bis(isopropyl)naphthalene:  
Repeated dose toxicity - Assessment : May be harmful if swallowed or if inhaled.  
No adverse effect has been observed in chronic toxicity tests.

### **Aspiration toxicity**

#### **Components:**

bis(isopropyl)naphthalene:  
May be fatal if swallowed and enters airways.

### **Experience with human exposure**

General Information: No data available

Inhalation: No data available

Skin contact: No data available

Eye contact: No data available

Ingestion: No data available

### **Toxicology, Metabolism, Distribution**

No data available

### **Neurological effects**

No data available

### **Further information**

Ingestion: No data available

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006

**HUNTSMAN**

Enriching lives through innovation

## ARALDITE® AY 103-1

Version	Revision Date:	SDS Number:	Date of last issue: 31.01.2017
2.0	12.09.2018	400001007825	Date of first issue: 08.11.2016

### SECTION 12: Ecological information

#### 12.1 Toxicity

##### Components:

2,2'-[(1-methylethylidene)bis(4,1-phenyleneoxymethylene)]bisoxirane:

Toxicity to fish : LC50 (Oncorhynchus mykiss (rainbow trout)): 1,5 mg/l  
Exposure time: 96 h  
Test Type: static test  
Test substance: Fresh water  
Method: OECD Test Guideline 203

Toxicity to daphnia and other aquatic invertebrates : EC50 (Daphnia magna (Water flea)): 2,7 mg/l  
Exposure time: 48 h  
Test Type: static test  
Test substance: Fresh water

Toxicity to algae : EC50 (Selenastrum capricornutum (green algae)): 9,4 mg/l  
Exposure time: 72 h  
Test Type: static test  
Test substance: Fresh water  
Method: EPA-660/3-75-009

Toxicity to microorganisms : IC50 (activated sludge): > 100 mg/l  
Exposure time: 3 h  
Test Type: static test  
Test substance: Fresh water

Toxicity to daphnia and other aquatic invertebrates (Chronic toxicity) : NOEC: 0,3 mg/l  
Exposure time: 21 d  
Species: Daphnia magna (Water flea)  
Test Type: semi-static test  
Test substance: Fresh water  
Method: OECD Test Guideline 211

bis(isopropyl)naphthalene:

Toxicity to fish : LC50 : > 0,5 mg/l  
Exposure time: 96 h  
Test Type: semi-static test  
Method: Directive 67/548/EEC, Annex V, C.1.  
Remarks: No toxicity at the limit of solubility

Toxicity to daphnia and other aquatic invertebrates : EC50 (Daphnia magna (Water flea)): > 0,16 mg/l  
Exposure time: 48 h  
Test Type: static test  
Method: OECD Test Guideline 202  
Remarks: No toxicity at the limit of solubility

EL50 (Daphnia magna (Water flea)): 1,7 mg/l  
Exposure time: 48 h  
Test Type: semi-static test  
Method: OECD Test Guideline 202

Toxicity to algae : NOECr (Desmodesmus subspicatus (green algae)): ca. 0,15

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006

**HUNTSMAN**

Enriching lives through innovation

## ARALDITE® AY 103-1

Version	Revision Date:	SDS Number:	Date of last issue: 31.01.2017
2.0	12.09.2018	400001007825	Date of first issue: 08.11.2016

mg/l  
Exposure time: 72 h  
Test Type: static test  
Method: DIN 38412  
GLP: no  
Remarks: Aquatic toxicity is unlikely due to low solubility.

M-Factor (Acute aquatic toxicity) : 1

Toxicity to daphnia and other aquatic invertebrates (Chronic toxicity) : NOEC: 0,013 mg/l  
Exposure time: 21 d  
Species: Daphnia magna (Water flea)  
Test Type: semi-static test  
Test substance: Fresh water  
Method: OECD Test Guideline 202

M-Factor (Chronic aquatic toxicity) : 1

Ecotoxicology Assessment  
Acute aquatic toxicity : No toxicity at the limit of solubility

### 12.2 Persistence and degradability

#### Components:

2,2'-[(1-methylethylidene)bis(4,1-phenyleneoxymethylene)]bisoxirane:

Biodegradability : Inoculum: Sewage (STP effluent)  
Concentration: 20 mg/l  
Result: Not readily biodegradable.  
Biodegradation: 5 %  
Exposure time: 28 d  
Method: OECD Test Guideline 301F

Stability in water : Degradation half life (DT50): 4,83 d (25 °C)  
pH: 4  
Method: OECD Test Guideline 111  
Remarks: Fresh water

Degradation half life (DT50): 7,1 d (25 °C)  
pH: 9  
Method: OECD Test Guideline 111  
Remarks: Fresh water

Degradation half life (DT50): 3,58 d (25 °C)  
pH: 7  
Method: OECD Test Guideline 111  
Remarks: Fresh water

bis(isopropyl)naphthalene:

Biodegradability : Inoculum: activated sludge  
Concentration: 0,2 mg/l  
Result: Not readily biodegradable.  
Biodegradation: 30 - 35 %

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006

**HUNTSMAN**

Enriching lives through innovation

## ARALDITE® AY 103-1

Version	Revision Date:	SDS Number:	Date of last issue:
2.0	12.09.2018	400001007825	31.01.2017
			Date of first issue: 08.11.2016

Exposure time: 56 d  
Method: OECD Test Guideline 310

### 12.3 Bioaccumulative potential

#### Components:

2,2'-[(1-methylethylidene)bis(4,1-phenyleneoxymethylene)]bisoxirane:

Bioaccumulation : Bioconcentration factor (BCF): 31  
Remarks: Does not bioaccumulate.

Partition coefficient: n-octanol/water : log Pow: 3,242 (25 °C)  
pH: 7,1  
Method: OECD Test Guideline 117

bis(isopropyl)naphthalene:  
Bioaccumulation : Species: Cyprinus carpio (Carp)  
Exposure time: 60 d  
Bioconcentration factor (BCF): 770 - 6 400  
Test substance: Fresh water  
Method: flow-through test

Partition coefficient: n-octanol/water : log Pow: 6,081  
Method: QSAR

### 12.4 Mobility in soil

#### Components:

2,2'-[(1-methylethylidene)bis(4,1-phenyleneoxymethylene)]bisoxirane:

Distribution among environmental compartments : Koc: 445

bis(isopropyl)naphthalene:  
Distribution among environmental compartments : Koc: 36108  
Method: QSAR

### 12.5 Results of PBT and vPvB assessment

#### Product:

Assessment : This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher..

### 12.6 Other adverse effects

#### Product:

Additional ecological information : An environmental hazard cannot be excluded in the event of unprofessional handling or disposal.  
Toxic to aquatic life with long lasting effects.

**ARALDITE® AY 103-1**

Version	Revision Date:	SDS Number:	Date of last issue: 31.01.2017
2.0	12.09.2018	400001007825	Date of first issue: 08.11.2016

**SECTION 13: Disposal considerations**

**13.1 Waste treatment methods**

- Product : Can be landfilled or incinerated, when in compliance with local regulations.  
Where possible recycling is preferred to disposal or incineration.  
Send to a licensed waste management company.
- The product should not be allowed to enter drains, water courses or the soil.  
Do not contaminate ponds, waterways or ditches with chemical or used container.  
Send to a licensed waste management company.  
Dispose of as hazardous waste in compliance with local and national regulations.  
Dispose of contents/ container to an approved waste disposal plant.
- Contaminated packaging : Empty remaining contents.  
Dispose of as unused product.  
Do not re-use empty containers.
- Empty remaining contents.  
Dispose of as unused product.  
Do not re-use empty containers.

**SECTION 14: Transport information**

**IATA**

- 14.1 UN number** : UN 3082
- 14.2 UN proper shipping name** : Environmentally hazardous substance, liquid, n.o.s.  
(BISPHENOL A EPOXY RESIN)
- 14.3 Transport hazard class(es)** : 9
- 14.4 Packing group** : III
- Labels : Miscellaneous
- Packing instruction (cargo aircraft) : 964
- Packing instruction (passenger aircraft) : 964

**IMDG**

- 14.1 UN number** : UN 3082
- 14.2 UN proper shipping name** : ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S.  
(BISPHENOL A EPOXY RESIN)
- 14.3 Transport hazard class(es)** : 9
- 14.4 Packing group** : III

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006

**HUNTSMAN**

Enriching lives through innovation

## ARALDITE® AY 103-1

Version 2.0      Revision Date: 12.09.2018      SDS Number: 400001007825      Date of last issue: 31.01.2017  
Date of first issue: 08.11.2016

Labels : 9  
EmS Code : F-A, S-F  
**14.5 Environmental hazards**  
Marine pollutant : yes

### ADR

**14.1 UN number** : UN 3082  
**14.2 UN proper shipping name** : ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S.  
(BISPHENOL A EPOXY RESIN)  
**14.3 Transport hazard class(es)** : 9  
**14.4 Packing group** : III  
Labels : 9  
**14.5 Environmental hazards**  
Environmentally hazardous : yes

### RID

**14.1 UN number** : UN 3082  
**14.2 UN proper shipping name** : ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S.  
(BISPHENOL A EPOXY RESIN)  
**14.3 Transport hazard class(es)** : 9  
**14.4 Packing group** : III  
Labels : 9  
**14.5 Environmental hazards**  
Environmentally hazardous : yes

### 14.7 Transport in bulk according to Annex II of Marpol and the IBC Code

Not applicable for product as supplied.

## SECTION 15: Regulatory information

### 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

REACH - Candidate List of Substances of Very High Concern for Authorisation (Article 59) : This product does not contain substances of very high concern (Regulation (EC) No 1907/2006 (REACH), Article 57).  
REACH - List of substances subject to authorisation (Annex XIV) : Not applicable  
REACH - List of substances subject to authorisation - Future sunset date : Not applicable

Water contaminating class (Germany) : WGK 2 obviously hazardous to water

TA Luft List (Germany) : Total dust:  
Not applicable  
Inorganic substances in powdered form:

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006

**HUNTSMAN**

Enriching lives through innovation

## ARALDITE® AY 103-1

Version 2.0	Revision Date: 12.09.2018	SDS Number: 400001007825	Date of last issue: 31.01.2017 Date of first issue: 08.11.2016
----------------	------------------------------	-----------------------------	---

Not applicable  
: Inorganic substances in vapour or gaseous form:  
Not applicable  
: Organic Substances:  
Not applicable  
: Carcinogenic substances:  
Not applicable  
: Mutagenic:  
Not applicable  
: Toxic to reproduction:  
Not applicable

Other regulations:

Take note of Directive 94/33/EC on the protection of young people at work or stricter national regulations, where applicable.

### The components of this product are reported in the following inventories:

DSL : All components of this product are on the Canadian DSL

AICS : On the inventory, or in compliance with the inventory

NZIoC : On the inventory, or in compliance with the inventory

ENCS : On the inventory, or in compliance with the inventory

KECI : On the inventory, or in compliance with the inventory

PICCS : On the inventory, or in compliance with the inventory

IECSC : On the inventory, or in compliance with the inventory

TCSI : On the inventory, or in compliance with the inventory

TSCA : On the inventory, or in compliance with the inventory

### Inventories

AICS (Australia), DSL (Canada), IECSC (China), ENCS (Japan), KECI (Korea), NZIOIC (New Zealand), PICCS (Philippines), TCSI (Taiwan), TSCA (United States of America (USA))

## 15.2 Chemical safety assessment

Chemical Safety Assessments for all substances in this product are either Complete or Not applicable.

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006

**HUNTSMAN**

Enriching lives through innovation

## ARALDITE® AY 103-1

Version	Revision Date:	SDS Number:	Date of last issue: 31.01.2017
2.0	12.09.2018	400001007825	Date of first issue: 08.11.2016

### SECTION 16: Other information

#### Full text of H-Statements

H304	: May be fatal if swallowed and enters airways.
H315	: Causes skin irritation.
H317	: May cause an allergic skin reaction.
H319	: Causes serious eye irritation.
H410	: Very toxic to aquatic life with long lasting effects.
H411	: Toxic to aquatic life with long lasting effects.

#### Full text of other abbreviations

Aquatic Chronic	: Long-term (chronic) aquatic hazard
Asp. Tox.	: Aspiration hazard
Eye Irrit.	: Eye irritation
Skin Irrit.	: Skin irritation
Skin Sens.	: Skin sensitisation

#### Further information

##### Classification of the mixture:

Skin Irrit. 2	H315
Eye Irrit. 2	H319
Skin Sens. 1	H317
Asp. Tox. 1	H304
Aquatic Chronic 2	H411

##### Classification procedure:

Calculation method
Calculation method
Calculation method
Calculation method
Calculation method

The information and recommendations in this publication are to the best of our knowledge, information and belief accurate at the date of publication, NOTHING HEREIN IS TO BE CONSTRUED AS A WARRANTY, EXPRESS OR OTHERWISE.

IN ALL CASES, IT IS THE RESPONSIBILITY OF THE USER TO DETERMINE THE APPLICABILITY OF SUCH INFORMATION AND RECOMMENDATIONS AND THE SUITABILITY OF ANY PRODUCT FOR ITS OWN PARTICULAR PURPOSE.

THE PRODUCT MAY PRESENT HAZARDS AND SHOULD BE USED WITH CAUTION. WHILE CERTAIN HAZARDS ARE DESCRIBED IN THIS PUBLICATION, NO GUARANTEE IS MADE THAT THESE ARE THE ONLY HAZARDS THAT EXIST.

Hazards, toxicity and behaviour of the products may differ when used with other materials and are dependent upon the manufacturing circumstances or other processes. Such hazards, toxicity and behaviour should be determined by the user and made known to handlers, processors and end users.

The trademarks above are the property of Huntsman Corporation or an affiliate thereof.

NO PERSON OR ORGANIZATION EXCEPT A DULY AUTHORIZED HUNTSMAN EMPLOYEE IS AUTHORIZED TO PROVIDE OR MAKE AVAILABLE DATA SHEETS FOR HUNTSMAN PRODUCTS.

# SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006

**HUNTSMAN**

Enriching lives through innovation

## ARALDITE® AY 103-1

Version	Revision Date:	SDS Number:	Date of last issue: 31.01.2017
2.0	12.09.2018	400001007825	Date of first issue: 08.11.2016

---

DATA SHEETS FROM UNAUTHORIZED SOURCES MAY CONTAIN INFORMATION THAT IS NO LONGER CURRENT OR ACCURATE.